

MATERIAL SAFETY DATA SHEET

JIMMY SANDERS, INC.

MSDS NUMBER: 10301

DATE REVISED: 05/05/2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: SURFOIL 60-40
HIGH LOAD CROP OIL CONCENTRATE

DESCRIPTION: Agricultural Adjuvant

MANUFACTURED FOR:
Jimmy Sanders, Inc.
518 N. Sharpe Ave.
Cleveland, MS 38732
662-379-0241

EMERGENCY CONTACT: In the event of chemical emergencies involving a spill, leak, fire exposure, or accident involving chemicals -- call **CHEMTREC (800) 424-9300**.

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>COMPONENTS</u>	<u>% BY WEIGHT</u>
Petroleum Distillates	60%
Surfactant Blend	40%

HAZARDOUS INGREDIENTS:
Petroleum Distillates CAS#: 64742-55-8

EXPOSURE STANDARDS:
The ACGIH has established a TLV of 5 mg/m³ in 8 hours and a STEL of 10 mg/m³ in 15 minutes for petroleum distillates.

3. HAZARDS IDENTIFICATION

***** EMERGENCY OVERVIEW *****

Clear, light yellow liquid with mild odor. Primary irritation to eyes and skin.

POTENTIAL HEALTH EFFECTS:

EYE:

Primary irritation to eyes; redness, tearing, blurred vision.

SKIN:

Primary irritation to skin; defatting, dermatitis.

INHALATION:

No hazard in normal industrial use.

INGESTION:

Substance may be harmful if swallowed.

4. FIRST AID MEASURES

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

FLASH POINT (Method):

176° C / 350° F (Open cup, D-92)

AUTOIGNITION TEMPERATURE:

Greater than 260° C (500° F)

FLAMMABLE LIMITS:

Lower: Not determined

Upper: Not determined

EXTINGUISHING MEDIA:

Foam, water spray (fog), dry chemical, carbon dioxide, and vaporizing liquid type extinguishing agents may all be suitable for extinguishing fires.

SPECIAL FIRE FIGHTING PROCEDURES:

Water spray may be ineffective on fire but can protect fire fighters and cool closed containers. Use fog nozzles if water is used. Do not enter confined fire space without full bunker gear. (Helmet with face shield, bunker coats, gloves and rubber boots). Use a NIOSH approved positive-pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES**ACCIDENTAL RELEASE:**

An unauthorized release of this material to the environment may be reportable under federal law to the National Response Center. Also, state and local authorities may have additional reporting requirements of which the user of this material should be aware. Use emergency response personnel if spill is beyond the capability of in-house personnel. For small spills, dike and absorb spilled liquid with an inert absorbent. Prevent entry into sewers or waterways. Wear appropriate personal protective equipment and avoid contact with skin, eyes or clothing.

7. HANDLING AND STORAGE**HANDLING:**

Avoid contact with eyes. Do not use, spill, or store near heat or open flame. Keep this container closed when not in use and take care to prevent any water from being introduced to the contents of this container.

STORAGE:

Store product in original container only, away from other pesticides, fertilizers, food or feed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**RESPIRATORY PROTECTION:**

For most conditions, no respiratory protection should be needed; however, use NIOSH/MSHA approved organic vapor respirator as necessary. For concentrations above 1,000 ppm, use air-supplied or self-contained breathing apparatus.

EYE PROTECTION:

Wear OSHA standard chemical splash goggles.

SKIN PROTECTION:

For brief contact, no precautions other than clean body-covering clothing should be needed. Use impervious gloves such as neoprene.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear yellow liquid
ODOR:	Mild aromatic
PH(1% solution):	5.5-8.0
SPECIFIC GRAVITY	.875-.895
FLASH POINT:	>176°C (350°F)
COLOR (GARDNER):	< 8
SOLUBILITY IN WATER:	Water Dispersible

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:

Stable at ambient temperatures and atmospheric pressure.

CONDITIONS TO AVOID:

Isolate from oxidizers, heat, and open flame. Isolate from strong oxidizers such as permanganates, chromates and peroxides.

HAZARDOUS DECOMPOSITION:

Carbon monoxide, carbon dioxide from burning.

11. TOXICOLOGICAL INFORMATION

No information available.

12. ECOLOGICAL INFORMATION

No information available.

13. DISPOSAL CONSIDERATIONS

Maximize product recovery for reuse or recycling. Conditions of use may cause this material to become a "Hazardous Waste", as defined by state or federal laws. Use approved treatment, transporters, and disposal sites in compliance with all applicable laws. If spill is introduced into a waste-water treatment system, chemical and biological oxygen demand will likely increase. Spill material is biodegradable if gradually exposed to microorganisms. Potential treatment and disposal methods include land farming, incineration, and land disposal.

14. TRANSPORTATION INFORMATION

DOT SHIPPING DESCRIPTION:

Not regulated

15. REGULATORY INFORMATION

SARA 313 INFORMATION:

This product contains the following substances subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

Glycol ethers (fraction of product matching EPA definition) < 2.0%

16. OTHER INFORMATION

No specific notes.

DISCLAIMER OF LIABILITY

Jimmy Sanders, Inc. makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control; no warranty, expressed or implied, is made by Jimmy Sanders, Inc. as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Jimmy Sanders, Inc. assume liability arising out of the use by others of this product referred to herein. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other materials or in any process.